WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT) (51) International Patent Classification 4: (11) International Publication Number: WO 87/ 03205 A1 A61K 39/395, 47/00, C07K 15/00 (43) International Publication Date: 4 June 1987 (04.06.87) PCT/GB86/00711 (21) International Application Number: (74) Agent: GILL JENNINGS & EVERY; 53/64 Chancery Lane, London WC2A 1HN (GB). (22) International Filing Date: 21 November 1986 (21.11.86) (81) Designated States: AT (European patent), BE (European patent), CH (European patent), DE (European (31) Priority Application Number: 8528761 patent), FR (European patent), GB (European patent), IT (European patent), JP, LU (European patent) (32) Priority Date: 22 November 1985 (22.11.85) tent), NL (European patent), SE (European patent), (33) Priority Country: **GB** (71) Applicant (for all designated States except US): CORAL SOCIEDADE BRASILEIRA DE PESQUISAS E DESENVOLVIMENTO LTDA. [BR/BR]; Edificio **Published** With international search report. Before the expiration of the time limit for amending the Icaquera, Avenida Brigadeiro Faria Lima 1620, 8º Anclaims and to be republished in the event of the receipt dar, 01452 São Paulo, SP (BR). of amendments. (72) Inventor; and (75) Inventor/Applicant (for US only): STARKIE, Selby, John [GB/GB]: Riverside Cottages, Clayhithe, Horningsea, Cambridgeshire CB5 9JB (GB).

(54) Title: ENZYME-COUPLED ANTIBODIES

(57) Abstract

An enzyme-coupled antibody comprises an enzyme, e.g. coupled to a monoclonal antibody, which can catalyse reactions which result in the death of cells bearing antigenic sites with which the antibody can bind. Such products have therapeutic value.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

ΑT	Austria	FR	France	ML	Mali
ΑÜ	Australia	GA	Gabon	MR	Mauritania
BB	Barbados	GB	United Kingdom	MW	Malawi
BE	Belgium	HU	Hungary	NL	Netherlands
BG	Bulgaria	П	Italy	NO	Norway
BJ	Benin	JP	Japan	RO	Romania
BR	Brazil	KP	Democratic People's Republic	SD	Sudan
CF	Central African Republic		of Korea	SE	Sweden
CG	Congo	KR	Republic of Korea	SN	Senegal ·
CH	Switzerland	LI	Liechtenstein	SU	Soviet Union
CM	Cameroon	LK	Sri Lanka	TD	Chad
DE	Germany, Federal Republic of	LU	Luxembourg	TG	Togo
DK	Denmark	MC	Monaco	US	United States of America
FI	Finland	MG	Madagascar		

Ŷ.

25

į

ENZYME-COUPLED ANTIBODIES

This invention relates to antibodies and their use in killing specific organisms or tissue cells which carry appropriate antigens. The invention is thus of potential 5 value in therapy.

Antibodies bind specifically with appropriate antigens. However, the presence of specific antibodies in body fluids, in vivo, and their binding with antigens of organisms or tissue cells, are not necessarily 10 sufficient to kill the organisms or tissue cell. The primary causes of killing are phagocytosis, macrophages, and lysis by complement. Antibodies bound to antigens on the organism or tissue cell often mediate opsonisation or the activation of complement. The role of antibodies in 15 this respect is incompletely understood, but may be related to the class or subclass of the antibody, the nature and distribution of the antigen, the availability and activation of various kinds of phagocytic and accessory cells and the concentration and nature of the 20 components and inhibitors of complement.

It is of potential value to make the killing of cells carrying specific antigens dependent only on the relative concentration of antibody (or modified antibody) to antigen, and independent of other effect or agents.

WO-A-8303679 discloses "polydomas", i.e. the product of the fusion of a hybridoma with a B-lymphocyte or another hybridoma. The polydomas produce a hybrid monoclonal antibody having dual specificity, e.g. one specificity directed against a target antigen and the 30 other against a moiety which permits a diagnosis to be made or which delivers an agent lethal to the target antigen or associated tissue.

It is well known to couple enzymes to antibodies. For example, enzymes such as alkaline phosphatase and 35 horseradish peroxidase have been coupled to antibodies, and the properties of the enzyme used in order to detect antibody-antigen binding. For the aim of detection, it is appropriate that the substrate of the enzyme should undergo a readily-detectable (e.g. colour) change in the presence of the enzyme.

Toxins such as ricin, gelonin or diphtheria toxin may be bound to antibodies. Such toxins are enzymes and result in the death of cells by degradation of components of the protein synthetic mechanisms within the cell. To 10 achieve this effect, the complex of antibody and enzyme requires introduction into the cytoplasm of the cell, usually by a mechanism of the cell itself characteristic of a fluid cell membrane. In general, organisms with non-fluid cell walls do not internalise complex molecules of this kind, so that toxin-conjugated antibodies would not kill some organisms.

In an enzyme-coupled antibody according to the present invention, the enzyme has the ability to catalyse degradative or synthetic reactions which result in the 20 death of the cell.

The present invention is based on the concept that an enzyme attached to an antibody is brought into close proximity with the cell when the antibody binds with the antigen on the cell. The substrate of the enzyme is a substance close to, or part of, the cell or the antigen, or the fluid around the cell or the antigen. The antibody need not have been produced from a polydoma, but can retain a single specificity.

Examples of suitable enzymes are lipases,

30 phospholipases, proteases and glycases, substrates for
which might be lipids, phospholipids, proteins, sugars
and glycoproteins in the cell walls. Glucose oxidase is
an example of an enzyme which has a natural plasma
substrate, glucose; one of the products of glucose

oxidation is hydrogen peroxide which can kill cells by oxidation of components of the cell wall.

Many of the components of complement are enzymes.

When some forms of antibody bind with some forms of

antigen, the enzymatic components of complement are
activated in a cascade, i.e. each activated component
catalyses the activation of the next component. The
final components, activated C789, constitute a
phospholipase which digests parts of certain membranes,

such as cell walls and basement membranes. The classical
pathway of complement activation is initiated by the
activation of the first components by antibody bound to
an antigen, but not by a free antibody. By contrast, the
concept of the present invention is that the enzyme is
irreversibly bound to the antibody.

It will readily be appreciated that an enzymecoupled antibody according to the invention can be used
therapeutically. For example, in order to kill an
organism or cell which has been detected in a subject, an
20 enzyme selected to kill the cell can be coupled to an
antibody, e.g. a monoclonal antibody, specific to an
antigen of the organism or cell, and the coupled product
administered to the subject. Coupling can be by any
convenient, conventional method, e.g. the glutaraldehyde
25 or the SPDP method. Administration may also be by any
suitable conventional method, e.g. inoculation; for
inoculation, a conventional composition may be formulated
which comprises the product and a physiologicallyacceptable excipient.

30 Example

A monoclonal antibody against <u>Shigella</u> as described in Example 1 of WO-A-8600646 is coupled, not with alkaline phosphatase as described in section G therein, but with glucose oxidase. Administration of the enzyme-coupled antibody into plasma containing the

antigen (as determined by conventional procedures) leads to (i) antibody-antigen reaction and thus the proximity of enzyme and antigen-bearing cell, and (ii) the local production of cell-toxic hydrogen peroxide by enzymatic oxidation of glucose in the plasma.

CLAIMS

- An enzyme-coupled antibody, in which the enzyme is characterised by ability to catalyse reactions which result in the death of cells bearing antigenic sites with
 which the antibody can bind.
 - 2. An enzyme-coupled antibody according to claim 1, in which the enzyme catalyses destruction of the cell wall.
 - 3. An enzyme-coupled antibody according to claim 1, in which the substrate for the enzyme is present in plasma
- 10 and the cells are destroyed by a product of the enzymatic reaction.
 - 4. An enzyme-coupled antibody according to any preceding claim, in which the antibody is monoclonal.
 - 5. An enzyme-coupled antibody according to any
- 15 preceding claim, for therapeutic use.
 - 6. A method for treating a subject hosting an antigen, which comprises administering to the subject an effective amount of an enzyme-coupled antibody, in which the antibody is specific for the antigen and the enzyme has
- 20 the ability to cause destruction of cells bearing the antigen.
 - 7. A method according to claim 6, in which the enzyme-coupled antibody is as defined in any of claims 2 to 4.

25

30

	INTERNATIONAL S	SEARCH REPORT					
		International Application No PC	r/GB 86/00711				
I. CLASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, indicate all) *							
IPC4:	According to International Patent Classification (IPC) or to both National Classification and IPC						
IPC :	A 61 K 39/395; A 61 F	K 47/00; C 07 K 15/	00				
ii. FIELD:	S SEARCHED						
Classificati	Minimum Document	tation Searched 7 Classification Symbols					
IPC -	IPC4 A 61 K; C 12 P						
	Documentation Searched other the to the Extent that such Documents	han Minimum Documentation are Included in the Fields Searched 9					
III DOCI							
Category *	JMENTS CONSIDERED TO BE RELEVANT Citation of Document, 11 with Indication, where appr	opriate, of the relevant passages 12	Relevant to Claim No. 13				
х	Chemical Abstracts, volum 26 November 1973, (Co US), T.J. Sullivan et killing of parasites enzyme conjugates", s 124533b, & Res. Communications	olumbus, Ohio, t al.: "Specific by antibody- see abstract no. un. Chem. Pathol.	1,3				
Y	Pharmacol. 1973, 6(2) Biological Abstracts, vol. 1985, R.B. Lal et al. elimination of lympho by monoclonal antibod see page 438, abstractimunol. Methods 79(2)	lume 80, no. 6, .: "Selective ocyte subpopulations ly-enzyme conjugates" ct 49774, & J.					
A	1985		3				
Y	FR, A, 2543969 (KUREHA KA 12 October 1984 see claims 1,22,30,31	L,43	1,4,5				
Y	CA, A, 1168150 (GOVERNORS OF ALBERTA) 29 May 19	S OF THE UNIVERSITY 984 ./.					
 Special categories of cited documents: 18 "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date for priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention filing date. "X" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document eferring to an oral disclosure, use, exhibition or other means "P" document published after the international filing date but ister than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention cannot be considered novel or cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "A" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. 							
IV. CERTIFICATION							
Date of In	Actual Completion of the International Search	Date of Mailing of this International Se					
27th	February 1987		I- 2 APR 1987				

Signature of Authorized Office

M. YAN MUL

EUROPEAN PATENT OFFICE

International Searching Authority

FURTHER INFORMATION CONTINUED FROM THE	SECOND SHEET	
see claims 1,3,6,	11	1,5
P,X WO, A, 86/00646 (TECH LTD) 30 January 1 see claims 1,41,4 cited in the applicat	1986 12,62	1,4,5
•		
		i
VE OBSERVATIONS WHERE CERTAIN CLAIMS W	ERE FOUND UNSEARCHABLE	·
This international search report has not been established in r		(2) (a) for the following reasons:
1. Claim numbers 6+7 because they relate to subject		
See PCT Rule 39.1(iv):		
Methods for treatment of the h surgery or therapy, as well as		means or
ourgory or energy, as were as	, and an	
2. Claim numbers because they relate to parts of	the leternational analisation that do not :	and with the assessment assessment
ments to such an extent that no meaningful internations		
_		
 Claim numbers because they are dependent clair PCT Rule 6.4(a). 	ns and are not drafted in accordance with	the second and third sentences of
	ON IS LACKING ?	·
This international Searching Authority found multiple inventi-	ons in this international application as to	nows:
1. As all required additional search fees were timely paid b of the international application.	y the applicant, this international search i	report covers all searchable claims
2. As only some of the required additional search fees we	ere timely paid by the applicant, this inter	national search report covers only
those claims of the international application for which f	ees were paid, specifically claims:	
·		
3. No required additional search fees were timely paid by		ional search report is restricted to
the Invention first mentioned in the claims; it is covered	of eight demotio.	
As all searchable claims could be searched without effor invite payment of any additional fee.	rt justifying an additional fee, the interns	stional Searching Authority did not
Remark on Protest		
The additional search fees were accompanied by applic		
No protest accompanied the payment of additional sear	T-11 1884.	į į

ANNEX TO THE INTERNATIONAL SEARCH REPORT ON

INTERNATIONAL APPLICATION NO. PCT/GB 86/00711 (SA 15350)

This Annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report. The members are as contained in the European Patent Office EDP file on 10/03/87

The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

cited	t document in search	Publication date	Patent membe	-	Publication date
FR-A-	2543969	12/10/84	JP-A- GB-A- SE-A- DE-A- JP-A- JP-A-	59187794 2138444 8401943 3413339 59188559 59186925	24/10/84 24/10/84 22/11/84 11/04/85 25/10/84 23/10/84
CA-A-	1168150	29/05/84	None		
WO-A-	8600646	30/01/86	EP-A- JP-T-	0189451 61502632	06/08/86 13/11/86